



DRAFT

	60-65 DNL	65-70 DNL	70-75 DNL	75+ DNL
Housing Units	1,762	0	0	0
Population	3,752	0	0	0
Noise-Sensitive Facilities	15	0	0	0
Schools / Educational Facilities	5	0	0	0
Churches / Places of Worship	10	0	0	0
Libraries	0	0	0	0
Hospitals	0	0	0	0
Nursing Homes	0	0	0	0

Note: In accordance with 14 CFR Part 150 Land Use Compatibility Guidelines, all land uses are compatible with noise levels below 65 DNL. The 60 DNL noise contour is shown for informational purposes only.

John Glenn Columbus International Airport 14 CFR Part 150 Noise Compatibility Study

- Existing (2024) Baseline Noise Exposure Contour - 60 DNL
- Existing (2024) Baseline Noise Exposure Contour - 65+ DNL
- Airport Property
- Single-Family Residential
- Two-Family Residential
- Multi-Family Residential
- Mobile Home Park
- Agricultural / Open Space
- Park / Recreation
- Institutional
- Commercial
- Industrial
- Exempt / Unclassified

- Municipal Boundary
- Township Boundary
- County Boundary
- General Study Area
- School / Educational Facility
- Library
- Hospital
- Church / Place of Worship
- Nursing Home
- ★ Historic Site on NRHP
- Field Noise Monitoring Location
- Permanent Noise Monitor

**Existing (2024)
Noise Exposure Map**

